


(<https://www.usgs.gov/>)

Search

California Water Science Center (<https://www.usgs.gov/centers/ca-water>)

California's Central Valley

Central Valley Hydrologic Model: Farm Process



EXPLANATION

- | | | | | | |
|-------------------|---|--------------------|--|--------------------|--|
| p | Precipitation | ei | Evaporation from irrigation out of the farm | tgw _{out} | Transpiration from groundwater out of the farm |
| nrd | Non-routed deliveries into farm | ep | Evaporation from precipitation out of the farm | run | Overland runoff out of the farm |
| srd _{in} | Semi-routed deliveries into farm | egw _{out} | Evaporation from groundwater out of the farm | dp | Deep percolation out of the farm |
| wells | Groundwater well pumping deliveries into farm | ti | Transpiration from irrigation out of the farm | srd _{out} | Semi-routed deliveries out of the farm |
| egw _{in} | Evaporation from groundwater into the farm | tp | Transpiration from precipitation out of the farm | | |
| tgw _{in} | Transpiration from groundwater into the farm | | | | |

Water inflows to and outflows from a "farm" as simulated by the Farm Process (FMP).

For the CVHM, the processes of evaporation, transpiration, runoff, and deep percolation to groundwater were estimated using the MODFLOW-FMP (). The FMP allocates water, simulates or approximates processes, and computes mass balances for defined subregions of the model domain; in

the CVHM, these subregions, or "farms," are defined as the Water Balance Subregions (WBSs).


The FMP was developed to estimate irrigation water allocations from conjunctively used surface water and groundwater. It is designed to simulate the demand components representing crop irrigation requirements and on-farm inefficiency losses, and the supply components representing surface-water deliveries and supplemental groundwater pumpage. The FMP also simulates additional head-dependent inflows and outflows such as canal losses and gains, surface runoff, surface-water return flows, evaporation, transpiration, and deep percolation of excess water.

The FMP is based on mass balances (). A farm mass balance is maintained between all inflows to and outflows from a farm, and is calculated and balanced for each simulation time step. A soil-water balance is calculated between inflows into the soil zone and the ET outflow. The FMP dynamically integrates irrigation water demand, surface-water and groundwater supply, and deep percolation.

The FMP has the capability to estimate economically optimal allocations through acreage optimization of water supplied by surface-water and groundwater deliveries when demand exceeds supply. Other non-economic drought-response scenarios, such as deficit irrigation and water stacking, also are available.

For the purposes of this report, the WBS represents the basic accounting unit (farm) for water consumption. On the basis of cell-by-cell estimations for each WBS, the FMP first calculates crop-water demand as the transpiration from plant-water consumption and the related evaporation. The FMP then determines a residual crop-water demand that cannot be satisfied by precipitation and (or) by root uptake from groundwater. The FMP then equates this residual crop-water demand with the crop-irrigation requirement for the cells with irrigated crops (exclusive of any natural vegetation).

Current Features of FMP: Demand & Supply



(images/FMPlg.gif)

This crop irrigation requirement then is adjusted (increased) by accounting for evaporative losses from irrigation, and other losses owing to inefficiencies, to yield a final total farm delivery requirement (TFDR). The FMP first attempts to satisfy the TFDR using surface water. The surface water can be obtained from source water that is not simulated in the stream network, referred to as "non-routed," or from water routed through the stream network and delivered to a WBS, referred to as "semi-routed." The non-routed surface-water supply components have first priority and surface-water deliveries have second priority. Lastly, if the TFDR is not met using surface water, the FMP computes the amount of supplemental groundwater necessary to extract from "farm" wells in order to satisfy the TFDR. The amount of excess water from irrigation and (or) precipitation that is not evaporated or consumed for plant growth then becomes either overland runoff to nearby streams or groundwater recharge. As mentioned earlier, a soil-water balance is calculated between inflows into the soil zone and the ET outflow. Thus, the FMP dynamically links the demand, supply, and related change in aquifer-system storage. All of the supply and demand components then are tabulated into a WBS budget that complements the groundwater-flow budget.

Learn More about the CVHM

Hydrologic Model Home ([central-valley-hydrologic-model.html](#))

Geospatial Database ([central-valley-hydrologic-model-datasets.html](#))

Texture Model ([cvhm-texture-model.html](#))

Farm Process ([cvhm-farm-process.html](#))

Numerical Model ([cvhm-numerical-model.html](#))

Contacts

Project Chief: Claudia Faunt

Phone: 619.225.6142

Email: ccfaunt@usgs.gov (<mailto:ccfaunt@usgs.gov>)

Data



Model Datasets:

- Central Valley Spatial Database (Raw Data) ([central-valley-spatial-database.html](#))
- Central Valley Hydrologic Model Database (Processed Data) ZIP (52.8 MB) ([CVHM_database.zip](#))



Numerical Model Data files:

- Input ZIP (254 MB) (http://pubs.usgs.gov/pp/1766/PP1766-CVHM_input.zip)
- Output ZIP (140 MB) (http://pubs.usgs.gov/pp/1766/PP1766-CVHM_output.zip)



Texture Model Data files:

- Download the Texture Model Datasets ([well-log-texture.xls](#))

Publications

Water availability and land subsidence in the Central Valley, California, USA

(<https://pubs.er.usgs.gov/publication/70160541>)

Hydrology Journal, November, 2015

Water Availability and Subsidence in California's Central Valley

(<https://pubs.er.usgs.gov/publication/70158702>)

San Francisco Estuary & Watershed, September, 2015

California's Central Valley Groundwater Study: A Powerful New Tool to Assess Water Resources in California's Central Valley (<http://pubs.usgs.gov/fs/2009/3057/>)

U.S. Geological Survey Fact Sheet 2009-3057

Groundwater Availability of the Central Valley Aquifer, California (<http://pubs.usgs.gov/pp/1766/>)

U.S. Geological Survey Professional Paper 1766

Development of a three-dimensional model of sedimentary texture in valley-fill deposits of Central Valley, CA, USA (HydrogeologyJournal-2010-18.pdf)

Hydrogeology Journal (2010) 18: 625-649

The Farm Process Version 2 (FMP2) for MODFLOW-2005 - Modifications and Upgrades to FMP1

(<https://pubs.usgs.gov/tm/tm6a32/>)

U.S. Geological Survey Techniques and Methods 6-A-32

DOI Privacy Policy (<https://www.doi.gov/privacy>)

Legal (https://www.usgs.gov/laws/policies_notices.html)

Accessibility (<https://www2.usgs.gov/laws/accessibility.html>)

Site Map (<https://www.usgs.gov/sitemap.html>)

Contact USGS (<https://answers.usgs.gov/>)

U.S. Department of the Interior (<https://www.doi.gov/>)

DOI Inspector General (<https://www.doioig.gov/>)

White House (<https://www.whitehouse.gov/>)

E-gov (<https://www.whitehouse.gov/omb/management/egov/>)

No Fear Act (<https://www.doi.gov/pmb/eeo/no-fear-act>)

FOIA (<https://www2.usgs.gov/foia>)

- Follow
-  Twitter (<https://twitter.com/USGSwaterCA>)
-  Facebook (<https://facebook.com/usgeologicalsurvey>)
-  Google+ (<https://plus.google.com/112624925658443863798/posts>)

-  GitHub (<https://github.com/usgs>)
-  Flickr (<https://flickr.com/usgeologicalsurvey>)
-  YouTube (<http://youtube.com/usgs>)
-  Instagram (<https://instagram.com/usgs>)